

# COLUMBIA®



## CA324HD Three-Stage Heavy-Duty

Factory Number:	31AH55KK597
<b>ENGINE</b>	
Engine:	357cc Columbia OHV
<b>DRIVE SYSTEM</b>	
Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse
<b>CHASSIS</b>	
Clearing Width:	24"
Intake Height:	23"
<b>AUGERS</b>	
Auger Diameter:	12"
Accelerator Auger Diameter:	12"
Impeller Diameter:	12"
<b>HANDLE</b>	
Handle Grip:	Heated Grips
Handle:	Folding
<b>CHUTE</b>	
Chute:	Hi-Arc Steel Chute
Chute Control:	Overhead Mounted Crank
Deflector Control:	Remote
<b>ADDITIONAL SPECIFICATIONS</b>	
Drift Cutters:	Tool-Less, Adjustable
Skid Shoes:	Deluxe Steel
Yard Light:	In Dash
Steering:	Steerable Wheels
Clutch Lock:	Standard
<b>TIRES</b>	
Tire Size:	15" x 5"
Tire Type:	X-Trac
<b>WARRANTY</b>	
Warranty:	3-year limited residential / 30-day commercial / 5-year gearbox

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*

# COLUMBIA®



## CA326HD Three-Stage Heavy-Duty

Factory Number:	31AH57KX597
<b>ENGINE</b>	
Engine:	420cc Columbia OHV
<b>DRIVE SYSTEM</b>	
Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse
<b>CHASSIS</b>	
Clearing Width:	26"
Intake Height:	23"
<b>AUGERS</b>	
Auger Diameter:	12"
Accelerator Auger Diameter:	12"
Impeller Diameter:	12"
<b>HANDLE</b>	
Handle Grip:	Heated Grips
Handle:	Folding
<b>CHUTE</b>	
Chute:	Hi-Arc Steel Chute
Chute Control:	Overhead Mounted Crank
Deflector Control:	Remote
<b>ADDITIONAL SPECIFICATIONS</b>	
Drift Cutters:	Tool-Less, Adjustable
Skid Shoes:	Deluxe Steel
Yard Light:	In Dash
Steering:	Steerable Wheels
Clutch Lock:	Standard
<b>TIRES</b>	
Tire Size:	16" x 4.8"
Tire Type:	X-Trac
<b>WARRANTY</b>	
Warranty:	3-year limited residential / 30-day commercial / 5-year gearbox

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*

# COLUMBIA®



## CA328HD Three-Stage Heavy-Duty

Factory Number:	31AH57KY597
<b>ENGINE</b>	
Engine:	420cc Columbia OHV
<b>DRIVE SYSTEM</b>	
Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse
<b>CHASSIS</b>	
Clearing Width:	28"
Intake Height:	23"
<b>AUGERS</b>	
Auger Diameter:	12"
Accelerator Auger Diameter:	12"
Impeller Diameter:	12"
<b>HANDLE</b>	
Handle Grip:	Heated Grips
Handle:	Folding
<b>CHUTE</b>	
Chute:	Hi-Arc Steel Chute
Chute Control:	Overhead Mounted Crank
Deflector Control:	Remote
<b>ADDITIONAL SPECIFICATIONS</b>	
Drift Cutters:	Tool-Less, Adjustable
Skid Shoes:	Deluxe Steel
Yard Light:	In Dash
Steering:	Steerable Wheels
Clutch Lock:	Standard
<b>TIRES</b>	
Tire Size:	16" x 6.5"
Tire Type:	X-Trac
<b>WARRANTY</b>	
Warranty:	3-year limited residential / 30-day commercial / 5-year gearbox

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*

# COLUMBIA®



## CA330HD Three-Stage Heavy-Duty

Factory Number: 31AH57KZ597

### ENGINE

Engine: 420cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 30"

Intake Height: 23"

### AUGERS

Auger Diameter: 12"

Accelerator Auger Diameter: 12"

Impeller Diameter: 12"

### HANDLE

Handle Grip: Heated Grips

Handle: Folding

### CHUTE

Chute: Hi-Arc Steel Chute

Chute Control: Overhead Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Tool-Less, Adjustable

Skid Shoes: Deluxe Steel

Yard Light: In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 16" x 6.5"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / 30-day commercial / 5-year gearbox

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*



## CA328HDT Three-Stage Heavy-Duty Track

Factory Number:	31BH77KY597
<b>ENGINE</b>	
Engine:	420cc Columbia OHV
<b>DRIVE SYSTEM</b>	
Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse
<b>CHASSIS</b>	
Clearing Width:	28"
Intake Height:	23"
<b>AUGERS</b>	
Auger Diameter:	12"
Accelerator Auger Diameter:	12"
Impeller Diameter:	12"
<b>HANDLE</b>	
Handle Grip:	Heated Grips
Handle:	Folding
<b>CHUTE</b>	
Chute:	Hi-Arc Steel Chute
Chute Control:	Overhead Mounted Crank
Deflector Control:	Remote
<b>ADDITIONAL SPECIFICATIONS</b>	
Drift Cutters:	Tool-Less, Adjustable
Skid Shoes:	Deluxe Steel
Yard Light:	In Dash
Steering:	Steerable Tracks
Clutch Lock:	Standard
<b>TIRES</b>	
Track Description:	Elevated Track
Tire Type:	Track
<b>WARRANTY</b>	
Warranty:	3-year limited residential / 30-day commercial / 5-year gearbox



## CA324 Three-Stage

Factory Number: 31AH54K6897

### ENGINE

Engine: 277cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 24"

Intake Height: 21"

### AUGERS

Auger Diameter: 12"

Accelerator Auger Diameter: 12"

Impeller Diameter: 12"

### HANDLE

Handle Grip: Standard Grips

Handle: Folding

### CHUTE

Chute: Extended Polymer Chute

Chute Control: Overhead Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Optional

Skid Shoes: Deluxe Steel

Yard Light: In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 15" x 5"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute



## CA326 Three-Stage

Factory Number: 31AH55K7897

### ENGINE

Engine: 357cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 26"

Intake Height: 21"

### AUGERS

Auger Diameter: 12"

Accelerator Auger Diameter: 12"

Impeller Diameter: 12"

### HANDLE

Handle Grip: Standard Grips

Handle: Folding

### CHUTE

Chute: Extended Polymer Chute

Chute Control: Overhead Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Optional

Skid Shoes: Deluxe Steel

Yard Light: In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 16" x 4.8"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute



## CA328 Three-Stage

Factory Number: 31AH55K8897

### ENGINE

Engine: 357cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 28"

Intake Height: 21"

### AUGERS

Auger Diameter: 12"

Accelerator Auger Diameter: 12"

Impeller Diameter: 12"

### HANDLE

Handle Grip: Standard Grips

Handle: Folding

### CHUTE

Chute: Extended Polymer Chute

Chute Control: Overhead Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Optional

Skid Shoes: Deluxe Steel

Yard Light: In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 16" x 6.5"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute





## C224 Two-Stage

Factory Number:	31AM53K2897
-----------------	-------------

### ENGINE

Engine:	208cc Columbia OHV
---------	--------------------

### DRIVE SYSTEM

Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse

### CHASSIS

Clearing Width:	24"
Intake Height:	21"

### AUGERS

Auger Diameter:	12"
Impeller Diameter:	12"

### HANDLE

Handle Grip:	Standard Grips
Handle:	Folding

### CHUTE

Chute:	Extended Polymer
Chute Control:	Overhead Mounted Crank
Deflector Control:	Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters:	Optional
Skid Shoes:	Deluxe Steel
Yard Light:	In Dash
Steering:	Steerable Wheels
Clutch Lock:	Standard

### TIRES

Tire Size:	15" x 5"
Tire Type:	X-Trac

### WARRANTY

Warranty:	3-year limited residential / limited lifetime chute
-----------	-----------------------------------------------------



## 10528GC Two-Stage Heavy-Duty

Factory Number: 31AH9774897

### ENGINE

Engine: 420cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 28"

Intake Height: 22"

### AUGERS

Auger Diameter: 16"

Impeller Diameter: 16"

### HANDLE

Handle Grip: Standard Grips

Handle: Folding, loop

### CHUTE

Chute: Large Frame Polymer Chute

Chute Control: Side Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Tool-Less

Skid Shoes: Deluxe Steel

Yard Light: Dual In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 16" x 4.8"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute

# COLUMBIA®



## 11530GC Two-Stage Heavy-Duty

Factory Number:	31AH9775897
<b>ENGINE</b>	
Engine:	420cc Columbia OHV
<b>DRIVE SYSTEM</b>	
Start:	Electric/Recoil
Number of Speeds:	6 Forward/2 Reverse
<b>CHASSIS</b>	
Clearing Width:	30"
Intake Height:	22"
<b>AUGERS</b>	
Auger Diameter:	16"
Impeller Diameter:	16"
<b>HANDLE</b>	
Handle Grip:	Standard Grips
Handle:	Folding, loop
<b>CHUTE</b>	
Chute:	Large Frame Polymer Chute
Chute Control:	Side Mounted Crank
Deflector Control:	Remote
<b>ADDITIONAL SPECIFICATIONS</b>	
Drift Cutters:	Tool-Less
Skid Shoes:	Deluxe Steel
Yard Light:	Dual In Dash
Steering:	Steerable Wheels
Clutch Lock:	Standard
<b>TIRES</b>	
Tire Size:	16" x 6.5"
Tire Type:	X-Trac
<b>WARRANTY</b>	
Warranty:	3-year limited residential / limited lifetime chute

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*

# COLUMBIA®



## 12533GC Two-Stage Heavy-Duty

Factory Number: 31AH9776897

### ENGINE

Engine: 420cc Columbia OHV

### DRIVE SYSTEM

Start: Electric/Recoil

Number of Speeds: 6 Forward/2 Reverse

### CHASSIS

Clearing Width: 33"

Intake Height: 22"

### AUGERS

Auger Diameter: 16"

Impeller Diameter: 16"

### HANDLE

Handle Grip: Standard Grips

Handle: Folding, loop

### CHUTE

Chute: Large Frame Polymer Chute

Chute Control: Side Mounted Crank

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: Tool-Less

Skid Shoes: Deluxe Steel

Yard Light: Dual In Dash

Steering: Steerable Wheels

Clutch Lock: Standard

### TIRES

Tire Size: 16" x 6.5"

Tire Type: X-Trac

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute

COLUMBIA-CANADA.COM

*\*The engine horsepower is provided by the engine manufacturer.*



## 21XPL Compact Single-Stage

Factory Number: 31AM2T6D897

### ENGINE

Engine: 208cc Columbia OHV

### DRIVE SYSTEM

Drive: Auger Propelled

Start: Electric/Recoil

### CHASSIS

Clearing Width: 21"

Intake Height: 13"

### AUGERS

Auger Diameter: 9"

### HANDLE

Handle: Folding, Adjustable Gull-Wing

### CHUTE

Chute: Upper 2-Way

Chute Control: Remote

Deflector Control: Remote

### ADDITIONAL SPECIFICATIONS

Drift Cutters: N/A

Skid Shoes: N/A

Yard Light: In Dash

### TIRES

Tire Size: 8" x 2"

Tire Type: DLX Diamond

### WARRANTY

Warranty: 3-year limited residential / limited lifetime chute